

# TAILORED: Training for Independent Living through Observant Robots and Design

Laurel Riek<sup>1</sup>, Elizabeth Twamley<sup>2</sup>, Kamalika Chaudhuri<sup>1</sup>

<sup>1</sup> Computer Science and Engineering, UC San Diego

<sup>2</sup> Psychiatry, UC San Diego





Difficulties with everyday tasks

Confusion in familiar environments



Difficulty with words and numbers

Memory loss



Changes in mood and behaviour



# Cognitively Assistive Robots Deliver Neurorehabilitation @ Home



# Our Robot Prototypes which Administer CCT





# HRI Design Patterns for Translational Science

1. Reward perseverance over performance
2. Connect the intervention to the real world
3. Relate the intervention to a user's interests
4. Goal setting
5. Promote engagement
6. Obtain feedback from users
7. Reminders
8. Personalization



# 1) Rewarding perseverance over performance

You've practiced 3 days in a row! Keep it up!





## 2) Connecting the intervention to the real world

Can you try using the *Categorizing* strategy to remember your grocery list?




### 3) Relating the intervention to a user's interests

Can you *Brainstorm* all the items you'd need to renovate your motorcycle?




## 4) Goal setting




I want to be able to...

What strategies could help you achieve that?



# Preference Learning Within and Across Agents



...

# TAILORED: Training for Independent Living through Observant Robots and Design

Laurel Riek<sup>1</sup>, Elizabeth Twamley<sup>2</sup>, Kamalika Chaudhuri<sup>1</sup>

<sup>1</sup> Computer Science and Engineering, UC San Diego

<sup>2</sup> Psychiatry, UC San Diego

